

Fax Referral To: 1-800-323-2445Phone: 1-800-237-2767Email Referral To: Customer.ServiceFax@CVSHealth.com



	Six Simple Steps to Submitting a	Referral
PATIENT INFORMATION (Complete	e or include demographic sheet)	
Patient Name:	DOB:	Gender: 🗌 Male 🔲 Female
Address:City, State, ZIP Code:		
		provided below) 🗌 Email (to email provided below)
		onsenting to receive automated calls, emails and/or text messages ssage frequency varies. If unable to contact via text or email,
Specialty Pharmacy will attempt to contact by phone		
Primary Phone:	Alternate	e Phone: Primary Language:
Email:	Last Four of SSN:	Primary Language:
	(Last, First): Relation	onship to patient:
2 PRESCRIBER INFORMATION		
Prescriber's Name:	State Lie	cense #:
NPI #: DEA #:	Group or Hospital:	
Address:	City, State, ZIP Co	ode: Contact's Phone:
Phone: Fax	Contact Person:	Contact's Phone:
INSURANCE INFORMATION Pleas	e fax copy of prescription and insurance	e cards with this form, if available (front and back)
4 DIAGNOSIS AND CLINICAL INFO		
Needs by Date:	Ship to: Patient Office	Other:
Diagnosis (ICD-10):		
	J45.5 Severe Pe	rsistent Asthma
D72 119 Hypereosinophilic syndrome	(HES) M30 1 Eosinophi	lic Granulomatosis with Polyangiitis (EGPA)
J33.0 Polyp of the nasal cavity		
J33.9 Nasal Polyp, unspecified (indica		
K20.0 Eosinophilic esophagitis (EoE)		
Other Code: Description		
Patient Clinical Information:		
		in the second second
		eight:in/cm IgE Level:
Eosinophil count: Cells/ μ L Date of	test: _/_/ Number of exacerbations	; in the last 12 months:

5 PRESCRIPTION INFORMATION

MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
Cinqair (reslizumab)	100 mg/10 mL vial	 Inject 3 mg/kg once every 4 weeks by IV infusion over 20 to 50 minutes Include sodium chloride and supplies sufficient for medication days supply IV administration/infusion set (0.2micron filter) IV Cath Insyte auto guard or PIV insertion kit Ultrasyte needle-free connector (one per vial shipped) 30 mL syringe (one per vial shipped) 50 mL 0.9% NaCl 2 - 10 mL 0.9% NaCl flush Alcohol swabs 	Quantity: vials 28-day supply 84-day supply day supply Refills: 1 year Other:

Patient is interested in patient support programs

STAMP SIGNATURE NOT ALLOWED

Ancillary supplies and kits provided as needed for administration

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

"Dispense As Written" / Brand Medically Necessary / Do DAW / May Not Substitute Prescriber's Signature:	Not Substitute / No Substitution /Date:	May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature:	Date:
CA, MA, NC & PR: Interchange is mandated unless Prescribe	er writes the words " No Substitution "	ATTN: New York and Iowa provider	s, please submit electronic prescription

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

atient Name:		Patient DOB:	Patient Phone:	
	riber Name: Prescriber Phone:			
PRESCRIPTI	ON INFORMATION			
MEDICATION	STRENGTH	DOSE & DIREC	TIONS	QUANTITY/REFIL
] Dupixent dupilumab)	PFS 100 mg/0.67 mL pre-filled syringe 200 mg/1.14 mL pre-filled syringe 300 mg/2 mL pre-filled syringe PEN* 200 mg/1.14 mL pre-filled pen 300 mg/2 mL pre-filled pen *Comes in cartons of 2	initially then 200 mg SC every ot	n) every other week on) every four weeks on) every other week njections in different injection sites) her week njections in different injection sites) her week <u>sse:</u> SC every other week SC every other week Lyposis in Patients ≥ 12 y/o SC every other week	Quantity: Refills:
] Fasenra penralizumab)	PFS 10mg/0.5ml pre-filled syringe 30 mg/mL pre-filled syringe <u>Auto-injector</u> 30 mg/mL Pen	for the first 3 doses, followed by it thereafter Administer 30 mg/mL by sub the first 3 doses, followed by inje Other: Administer Eosinophilic Granulomatosis wi Inject 30 mg SC every 4 week Note: Pre-filled syringe is ad	cutaneous injection every 4 weeks for ction once every 8 weeks thereafter 	Quantity: 1 PFS/Pen 3 PFS/Pen Refills: 1 year Other:

6 PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

"Dispense As Written" / Brand Medically Necessa DAW / May Not Substitute Prescriber's Signature:	ry / Do Not Substitute / No Substitution / Date:	May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature:	Date:
CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution"		ATTN: New York and Iowa provide	ers, please submit electronic prescription

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

Please Complete Patient and Prescriber Information

		Patient DOB: Patient Phone:	
escriber Name:		Prescriber Phone:	
PRESCRIPTIC	ON INFORMATION		
MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
] Nucala mepolizumab)	Vial 100 mg vial PEN Auto-injector 100 mg/mL auto-injector PFS 100 mg/mL pre-filled syringe 40 mg/0.4 mL pre-filled syringe Hord Syringe PFS	Severe Asthma ☐ Adults & Adolescents 12 years and older: Inject 100 mg subcutaneously once every 4 weeks into the upper arm, thigh, or abdomen ☐ Pediatric (6-11 years old): Inject 40 mg subcutaneously once every 4 weeks into the upper arm, thigh, or abdomen Chronic Rhinosinusitis with Nasal Polyps: ☐ Inject 100 mg subcutaneously once every 4 weeks into the upper arm, thigh, or abdomen Eosinophilic Granulomatosis with Polyagniitis (EGPA) ☐ Inject 300 mg as 3 separate 100 mg subcutaneous injections once every 4 weeks into the upper arm, thigh, or abdomen Hypereosinophilic Syndrome (HES) ☐ Inject 300 mg as 3 separate 100 mg subcutaneous injections once every 4 weeks into the upper arm, thigh, or abdomen Hypereosinophilic Syndrome (HES) ☐ Inject 300 mg as 3 separate 100 mg subcutaneous injections once every 4 weeks into the upper arm, thigh, or abdomen ☐ Inject 300 mg as 3 separate 100 mg subcutaneous injections once every 4 weeks into the upper arm, thigh, or abdomen ☐ Inject 300 mg as 3 separate 100 mg subcutaneous injections once every 4 weeks into the upper arm, thigh, or abdomen ☐ Inject 300 mg as 3 separate 100 mg subcutaneous injection days supply ☐ No supplies requested (supplies will be sent with shipment unless indicated) • One 10 mL vial sterile water for injection for every vial of Nucala dispensed • Alcohol swabs	Quantity: 28-day supply 84-day supply day supply Refills: 1 year Other:
] Tezspire Tezepelumab)	210 mg/1.91 mL (110 mg/mL) pre-filled syringe PEN 210 mg/1.91 mL (110 mg/mL) pre-filled pen	Inject 210mg subcutaneously every 4 weeks	Quantity: 1 Refills: 1 Year
Patient is interested in	patient support programs	STAMP SIGNATURE NOT ALLOWED Ancillary supplies and kits p	rovided as needed for administra
		NATURE REQUIRED (STAMP SIGNATURE NOT ALLO	

Prescriber's Signature:Date:Date:	Prescriber's Signature:Date:Date:	
DAW / May Not Substitute	Substitution Permissible	
"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution /	May Substitute / Product Selection Permitted /	

CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" ______ ATTN: New York and Iowa providers, please submit electronic prescription The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty

Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments.

Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.

	Plea	ase Complete Patient and Prescriber Information	
Patient Name:		Patient DOB: Patient Phone:	
rescriber Name	•	Prescriber Phone:	
PRESCRIPTIC	ON INFORMATION		
MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
☐ Xolair (omalizumab)	Vial ☐ 150 mg vial kit PFS ☐ 75 mg/0.5 mL pre-filled syringe ☐ 150 mg/1 mL pre-filled syringe ☐ 300 mg/2 mL pre-filled syringe Auto-injector ☐ 75 mg/0.5 mL ☐ 150 mg/mL ☐ 300 mg/2 mL	Every 4 weeks dosing: Administer 75 mg per dose subcutaneously every 4 weeks Administer 150 mg per dose subcutaneously every 4 weeks Administer 225 mg per dose subcutaneously every 4 weeks Administer 300 mg per dose subcutaneously every 4 weeks Other: Administer mg per dose subcutaneously every 4 weeks Administer 300 mg per dose subcutaneously every 2 weeks Administer 225 mg per dose subcutaneously every 2 weeks Administer 300 mg per dose subcutaneously every 2 weeks Administer 300 mg per dose subcutaneously every 2 weeks Administer 375 mg per dose subcutaneously every 2 weeks Other: Administer mg per dose subcutaneously every 2 weeks Other: Administer mg per dose subcutaneously every 2 weeks Other: Administer mg per dose subcutaneously every 2 weeks Dother: Administer mg per dose subcutaneously every 2 weeks Dother: Administer mg per dose subcutaneously every 2 weeks Dother: Administer mg per dose subcutaneously every 2 weeks Dother: Administer mg per dose subcutaneously every 2 weeks Dother: Administer mg per dose subcutaneously every 2 weeks Dother: Administer mg per dose subcutaneously every 2 weeks Include sterile water and supplies sufficient for medication days supply No supplies requested (supplies	Quantity: 28-day supply 84-day supply —day supply Refills: 1 year Other:

Nursing Medications

5 PRESCRIPTION INFORMATION

MEDICATION	STRENGTH	DOSE & DIRECTIONS	QUANTITY/REFILLS
Other:	Other:	Other:	Quantity: Refills:
EpiPen	Other:	Use as directed.	Quantity: 1 Refills:
🗌 EpiPen Jr.	Other:	Use as directed.	Quantity: 1 Refills:
Patient is interested in patient		STAMP SIGNATURE NOT ALLOWED	Ancillary supplies and kits provided as needed for administration

PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

"Dispense As Written" / Brand Medically Necessary / Do Not Substitute / No Substitution / DAW / May Not Substitute Prescriber's Signature:Date:	May Substitute / Product Selection Permitted / Substitution Permissible Prescriber's Signature:Date:
CA. MA. NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution"	ATTN: New York and Iowa providers, please submit electronic prescription

The information provided above is true and accurate to the best of my knowledge, with supporting documentation in the patient's medical record. By signing above, I hereby authorize CVS Specialty Pharmacy and/or its affiliate pharmacies to complete and submit prior authorization (PA) requests to payors for the prescribed medication for this patient and to attach this Enrollment Form to the PA request as my signature.

CONFIDENTIALITY NOTICE: This communication and any attachments may contain confidential and/or privileged information for the use of the designated recipients named above. If you are not the intended recipient, you are hereby notified that you have received this communication in error and that any review, disclosure, dissemination, distribution or copying of it or its contents is prohibited. If you have received this communication in error, please notify the sender immediately by telephone and destroy all copies of this communication and any attachments. Plan member privacy is important to us. Our employees are trained regarding the appropriate way to handle members' private health information.

This document contains references to brand-name prescription drugs that are trademarks or registered trademarks of pharmaceutical manufacturers not affiliated with CVS Specialty and/or one of its affiliates.